ავტონაწილები, ხელსაწყოები, დანადგარები



Dealer Info

სახელი:	info36
მობ. ტელ.:	(599) 040-028
საკონტაქტო პირი:	საკონტაქტო პირი
თანახმა ხართ თუ არა მიიღოთ სარეკლამო შეტყობინებები:	დიახ

განცხადების დეტალები

ძირითადი ინფორმაცია

სათაური:	ლაზერული მანძილმზომი 120 m
განცხადების ID:	501726
მობ. ტელ.:	(599) 040-028
გამოქვეყნებულია:	16.11.2026

მდებარეობა

მდებარეობა:	თბილისი

დამატებითი ინფორმაცია

მდგომარეობა:	ახალი
გამოშვების წელი:	2022

აღწერა:

TECHNICAL DATA

General information

Article number3.510.205.161

Distance measurement

Min. measuring range | Distance measurement0.05 m (0.16 ft)

Min. measuring range [m]0.05

Max. measuring range [m]120

Min. measuring range [ft]0.16

Max. measuring range [ft]394

Max. typical range130 m (427 ft)

Typical measuring tolerance±2 mm (± 0.08 in)

Inclination measurement

Measuring range | Inclination measurement45 °

Accuracy to the laser beam±0.3 °

Accuracy to the housing±0.3 °

Laser

Ø of the laser point at distance 10 [mm]6

Ø of the laser point at distance 50 [mm]30

Ø of the laser point at distance 100 [mm]60

class2

output < [mW]1

Memory organisation

Recall of previous measurements10

Device control

Push buttons

Housing design

Plastics

Type of protection

IP54

Power supply

Internal (battery)2 x 1.5 V, AA

Measurements per battery set5.000 ~ 8.000

Ambient conditions

Operation - min. temperature [°C]0

Operation - max. temperature [°C]40

Storage - min. temperature [°C]-20

Storage - max. temperature [°C]70

Dimensions

Length (packaging excluded) [mm]27

Width (packaging excluded) [mm]49

Height (packaging excluded) [mm]118

Weight

(packaging excluded) [kg]0.15